

## DR3W,DR4W,DR5W TYPE

### (1) ORDERING CODE 產品名稱

|          |      |                      |   |           |      |
|----------|------|----------------------|---|-----------|------|
| C5A      | DR3W | 8                    | x | 10        | (S)  |
| Material | Type | Outside Diameter(AΦ) |   | Length(D) | Slot |
| 材質       | 形狀   | 外徑(AΦ)               |   | 長度(D)     | 出线槽  |

|          |      |                      |   |           |      |
|----------|------|----------------------|---|-----------|------|
| F4D      | DR4W | 10                   | x | 8.4       | (S)  |
| Material | Type | Outside Diameter(AΦ) |   | Length(D) | Slot |
| 材質       | 形狀   | 外徑(AΦ)               |   | 長度(D)     | 出线槽  |

|          |      |                      |   |           |  |
|----------|------|----------------------|---|-----------|--|
| C5A      | DR5W | 14                   | x | 15        |  |
| Material | Type | Outside Diameter(AΦ) |   | Length(D) |  |
| 材質       | 形狀   | 外徑(AΦ)               |   | 長度(D)     |  |



### (2) SUITABLE MATERIAL (適用材質)

F4D,C5A.....

### (3) SHAPE(圖形標示)




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8




Fig 9




Fig 10




Fig 11




Fig 12




Fig 13




Fig 14




Fig 15

## (4) DIMENSIONS (尺寸)

## DR3W CORE

Unit:mm

| NO. | CORE            | Fig | A $\Psi$        | B $\Psi$        | C $\Psi$ | D               | E               | F               | G | H | P                    |
|-----|-----------------|-----|-----------------|-----------------|----------|-----------------|-----------------|-----------------|---|---|----------------------|
| 1   | DR3W 4x5.5      | 5   | 4.00 $\pm$ 0.20 | 2.00 $\pm$ 0.15 |          | 5.50 $\pm$ 0.20 | 1.60 $\pm$ 0.15 | 2.30 $\pm$ 0.15 |   |   | 1.60                 |
| 2   | DR3W 4.5x5.5(S) | 3   | 4.50 $\pm$ 0.20 | 2.00 $\pm$ 0.15 |          | 5.50 $\pm$ 0.20 | 1.60 $\pm$ 0.15 | 2.30 $\pm$ 0.15 |   |   | 2.00                 |
| 3   | DR3W 4.5x7.2(S) | 1   | 4.50 $\pm$ 0.20 | 1.80 $\pm$ 0.15 |          | 7.20 $\pm$ 0.20 | 1.50 $\pm$ 0.15 | 4.20 $\pm$ 0.15 |   |   | 1.40                 |
| 4   | DR3W 4.8x5.5(S) | 3   | 4.80 $\pm$ 0.20 | 1.90 $\pm$ 0.15 |          | 5.50 $\pm$ 0.20 | 1.60 $\pm$ 0.15 | 2.30 $\pm$ 0.15 |   |   | 2.15                 |
| 5   | DR3W 4.8x5.5(S) | 1   | 4.80 $\pm$ 0.20 | 1.90 $\pm$ 0.15 |          | 5.50 $\pm$ 0.20 | 1.60 $\pm$ 0.15 | 2.30 $\pm$ 0.15 |   |   | 1.30                 |
| 6   | DR3W 5x7        | 5   | 5.00 $\pm$ 0.20 | 2.00 $\pm$ 0.15 |          | 7.00 $\pm$ 0.20 | 2.00 $\pm$ 0.15 | 3.00 $\pm$ 0.15 |   |   | 2.15                 |
| 7   | DR3W 5x8.5(S)   | 3   | 5.00 $\pm$ 0.20 | 2.00 $\pm$ 0.15 |          | 8.50 $\pm$ 0.30 | 1.80 $\pm$ 0.15 | 4.90 $\pm$ 0.15 |   |   | 2.15                 |
| 8   | DR3W 6x8.3(S)   | 3   | 6.00 $\pm$ 0.20 | 2.50 $\pm$ 0.15 |          | 8.30 $\pm$ 0.30 | 2.15 $\pm$ 0.15 | 4.00 $\pm$ 0.15 |   |   | 2.30<br>2.50<br>3.00 |
| 9   | DR3W 7.5x10     | 3   | 7.50 $\pm$ 0.20 | 3.50 $\pm$ 0.15 |          | 10.0 $\pm$ 0.30 | 2.00 $\pm$ 0.15 | 6.00 $\pm$ 0.15 |   |   | 4.50                 |
| 10  | DR3W 8x10       | 5   | 8.00 $\pm$ 0.20 | 3.50 $\pm$ 0.15 |          | 10.0 $\pm$ 0.30 | 2.25 $\pm$ 0.15 | 5.50 $\pm$ 0.15 |   |   | 4.00                 |
| 11  | DR3W 8x10(S)    | 3   | 8.00 $\pm$ 0.20 | 3.50 $\pm$ 0.15 |          | 10.0 $\pm$ 0.30 | 2.25 $\pm$ 0.15 | 5.50 $\pm$ 0.15 |   |   | 4.00                 |
| 12  | DR3W 9x12       | 5   | 9.00 $\pm$ 0.30 | 4.00 $\pm$ 0.15 |          | 12.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 7.00 $\pm$ 0.15 |   |   | 5.00<br>5.50         |
| 13  | DR3W 9x12(S)    | 3   | 9.00 $\pm$ 0.30 | 4.00 $\pm$ 0.15 |          | 12.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 7.00 $\pm$ 0.15 |   |   | 5.00                 |
| 14  | DR3W 10x16      | 5   | 10.0 $\pm$ 0.30 | 5.50 $\pm$ 0.15 |          | 16.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 10.0 $\pm$ 0.15 |   |   | 5.00                 |
| 15  | DR3W 10x16      | 4   | 10.0 $\pm$ 0.30 | 5.50 $\pm$ 0.15 |          | 16.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 10.0 $\pm$ 0.15 |   |   | P1=7<br>P2=5         |
| 16  | DR3W 12x20      | 4   | 12.0 $\pm$ 0.30 | 5.00 $\pm$ 0.15 |          | 20.0 $\pm$ 0.40 | 3.00 $\pm$ 0.15 | 14.0 $\pm$ 0.15 |   |   | P1=6<br>P2=3.3       |
| 17  | DR3W 14x15      | 4   | 14.0 $\pm$ 0.30 | 7.00 $\pm$ 0.15 |          | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |   |   | P1=10<br>P2=7.5      |
| 18  | DR3W 14x15      | 5   | 14.0 $\pm$ 0.30 | 7.00 $\pm$ 0.15 |          | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |   |   | 7.50                 |
| 19  | DR3W 14x15(S)   | 2   | 14.0 $\pm$ 0.30 | 7.00 $\pm$ 0.15 |          | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |   |   | 8.00                 |
| 20  | DR3W 16x18      | 4   | 16.0 $\pm$ 0.30 | 10.0 $\pm$ 0.15 |          | 18.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 13.0 $\pm$ 0.15 |   |   | P1=9.5<br>P2=6.5     |
| 21  | DR3W 18x22 (2H) | 4   | 18.0 $\pm$ 0.30 | 12.0 $\pm$ 0.15 |          | 22.0 $\pm$ 0.40 | 4.00 $\pm$ 0.15 | 14.0 $\pm$ 0.15 |   |   | 10.0                 |
| 22  | DR3W 18x22 (H)  | 4   | 18.0 $\pm$ 0.30 | 12.0 $\pm$ 0.15 |          | 22.0 $\pm$ 0.40 | 4.00 $\pm$ 0.15 | 14.0 $\pm$ 0.15 |   |   | 10.0                 |

## DR4W CORE

|   |                |   |                 |                 |  |                 |                 |                 |  |  |      |
|---|----------------|---|-----------------|-----------------|--|-----------------|-----------------|-----------------|--|--|------|
| 1 | DR4W 4.5x5(4S) | 6 | 4.50 $\pm$ 0.20 | 2.10 $\pm$ 0.15 |  | 5.00 $\pm$ 0.20 | 1.40 $\pm$ 0.15 | 2.20 $\pm$ 0.15 |  |  | 2.50 |
| 2 | DR4W 6x8.3(4S) | 6 | 6.00 $\pm$ 0.20 | 2.80 $\pm$ 0.15 |  | 8.30 $\pm$ 0.20 | 2.15 $\pm$ 0.15 | 4.00 $\pm$ 0.15 |  |  | 3.00 |
| 3 | DR4W 6x8.3(2S) | 9 | 6.00 $\pm$ 0.20 | 2.80 $\pm$ 0.15 |  | 8.30 $\pm$ 0.20 | 2.15 $\pm$ 0.15 | 4.00 $\pm$ 0.15 |  |  | 3.00 |
| 4 | DR4W 6x8.3     | 8 | 6.00 $\pm$ 0.20 | 2.80 $\pm$ 0.15 |  | 8.30 $\pm$ 0.20 | 2.15 $\pm$ 0.15 | 4.00 $\pm$ 0.15 |  |  | 3.00 |

DIMENSIONS(尺寸)

Unit:mm

| NO.       | CORE                 | Fig | A $\Psi$        | B $\Psi$        | C $\Psi$        | D               | E               | F               | G               | H   | P               |
|-----------|----------------------|-----|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|-----------------|
| 5         | DR4W 7.65x11.0(4S)   | 6   | 7.65 $\pm$ 0.20 | 4.00 $\pm$ 0.15 |                 | 11.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 6.00 $\pm$ 0.15 |                 |     | 4.95            |
| 6         | DR4W 6.7x4.6(4S) RCH | 11  | 6.70 $\pm$ 0.20 | 2.40 $\pm$ 0.10 |                 | 4.60 $\pm$ 0.20 | 0.70 $\pm$ 0.10 | 2.20 $\pm$ 0.15 | 1.00 $\pm$ 0.10 | 0.7 | 4.80            |
| 7         | DR4W 7.8x7.5(4S)RCH  | 12  | 7.80 $\pm$ 0.20 | 3.30 $\pm$ 0.15 |                 | 7.50 $\pm$ 0.30 | 1.30 $\pm$ 0.15 | 3.40 $\pm$ 0.15 | 2.80 $\pm$ 0.15 | 1   | 5.65            |
| 8         | DR4W 8x10(2S)        | 9   | 8.00 $\pm$ 0.20 | 3.50 $\pm$ 0.15 |                 | 10.0 $\pm$ 0.30 | 2.25 $\pm$ 0.15 | 5.50 $\pm$ 0.15 |                 |     | 4.00<br>5.00    |
| 9         | DR4W 8x10            | 8   | 8.00 $\pm$ 0.20 | 3.50 $\pm$ 0.15 |                 | 10.0 $\pm$ 0.30 | 2.25 $\pm$ 0.15 | 5.50 $\pm$ 0.15 |                 |     | 4.25<br>5.00    |
| 10        | DR4W 8x11.5(2S)      | 9   | 8.00 $\pm$ 0.20 | 3.40 $\pm$ 0.15 |                 | 11.5 $\pm$ 0.30 | 2.20 $\pm$ 0.15 | 7.10 $\pm$ 0.15 |                 |     | 2.50            |
| 11        | DR4W 9x12            | 8   | 9.00 $\pm$ 0.30 | 4.00 $\pm$ 0.15 |                 | 12.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 7.00 $\pm$ 0.15 |                 |     | 5.00            |
| 12        | DR4W 9x12(4S)        | 6   | 9.00 $\pm$ 0.30 | 4.00 $\pm$ 0.15 |                 | 12.0 $\pm$ 0.30 | 2.00 $\pm$ 0.15 | 8.00 $\pm$ 0.15 |                 |     | 5.00<br>5.70    |
| 13        | DR4W 10x3.7(S) D41M  | 10  | 10.0 $\pm$ 0.30 | 3.85 $\pm$ 0.15 |                 | 3.70 $\pm$ 0.20 | 1.00 $\pm$ 0.10 | 1.45 $\pm$ 0.15 | 1.25 $\pm$ 0.15 |     |                 |
| 14        | DR4W 10x10(S)RCHD3   | 13  | 10.0 $\pm$ 0.30 | 4.80 $\pm$ 0.15 | 7.30 $\pm$ 0.15 | 10.0 $\pm$ 0.30 | 1.25 $\pm$ 0.15 | 5.50 $\pm$ 0.15 | 3.25 $\pm$ 0.15 | 1.3 | 6.40            |
| 15        | DR4W 10x10.1(S)RCH   | 12  | 10.0 $\pm$ 0.15 | 4.10 $\pm$ 0.15 |                 | 10.1 $\pm$ 0.30 | 1.60 $\pm$ 0.15 | 5.50 $\pm$ 0.15 | 3.00 $\pm$ 0.15 | 1   | 6.40            |
| 16        | DR4W 10x10.5(S)RCH   | 12  | 10.0 $\pm$ 0.30 | 4.50 $\pm$ 0.15 |                 | 10.5 $\pm$ 0.30 | 1.60 $\pm$ 0.15 | 5.50 $\pm$ 0.15 | 3.40 $\pm$ 0.15 | 1.5 | 6.40            |
| 17        | DR4W 10X8(S)RCH      | 12  | 10.0 $\pm$ 0.30 | 5.00 $\pm$ 0.15 |                 | 8.00 $\pm$ 0.30 | 1.00 $\pm$ 0.15 | 4.00 $\pm$ 0.15 | 3.00 $\pm$ 0.15 | 1   | 6.40            |
| 18        | DR4W 10x16           | 8   | 10.0 $\pm$ 0.30 | 5.50 $\pm$ 0.15 |                 | 16.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 10.0 $\pm$ 0.15 |                 |     | 4.5/5<br>7.0/6  |
| 19        | DR4W 10x16(4S)       | 6   | 10.0 $\pm$ 0.30 | 6.00 $\pm$ 0.15 |                 | 16.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 10.0 $\pm$ 0.15 |                 |     | 5.00            |
| 20        | DR4W 10x8.4(4S)      | 6   | 10.0 $\pm$ 0.30 | 4.60 $\pm$ 0.15 |                 | 8.40 $\pm$ 0.20 | 1.70 $\pm$ 0.15 | 5.00 $\pm$ 0.15 |                 |     | 5.66            |
| 21        | DR4W 12x15           | 8   | 12.0 $\pm$ 0.30 | 6.00 $\pm$ 0.15 |                 | 15.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 10.0 $\pm$ 0.15 |                 |     | 7.50            |
| 22        | DR4W 12x13(S)        | 6   | 12.0 $\pm$ 0.30 | 6.00 $\pm$ 0.15 |                 | 13.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 8.00 $\pm$ 0.15 |                 |     | 7.50            |
| 23        | DR4W 12x15(S)RCH     | 12  | 12.0 $\pm$ 0.30 | 6.00 $\pm$ 0.15 |                 | 15.0 $\pm$ 0.30 | 2.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 | 4.00 $\pm$ 0.15 | 1.5 | 0.40            |
| 24        | DR4W 14x15           | 8   | 14.0 $\pm$ 0.30 | 8.00 $\pm$ 0.15 |                 | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |                 |     | 8.5/10<br>10.50 |
| 25        | DR4W 14x15(4S)       | 6   | 14.0 $\pm$ 0.30 | 8.00 $\pm$ 0.15 |                 | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |                 |     | 10.50           |
| 26        | DR4W 16x18(H)        | 7   | 16.0 $\pm$ 0.30 | 10.0 $\pm$ 0.15 |                 | 18.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 13.0 $\pm$ 0.15 |                 |     | 10.0            |
| 27        | DR4W 16x18(SH)       | 7   | 16.0 $\pm$ 0.30 | 10.0 $\pm$ 0.15 |                 | 18.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 13.0 $\pm$ 0.15 |                 |     | 10.0            |
| 28        | DR4W 16x20(4S)       | 6   | 16.0 $\pm$ 0.30 | 9.20 $\pm$ 0.15 |                 | 20.0 $\pm$ 0.40 | 3.50 $\pm$ 0.15 | 13.0 $\pm$ 0.15 |                 |     | 9.90            |
| 29        | DR4W 18x26(4S)       | 6   | 18.0 $\pm$ 0.30 | 7.80 $\pm$ 0.15 |                 | 26.0 $\pm$ 0.60 | 4.00 $\pm$ 0.15 | 18.0 $\pm$ 0.20 |                 |     | 10.00           |
| DR5W CORE |                      |     |                 |                 |                 |                 |                 |                 |                 |     |                 |
| 1         | DR5W 9x12            | 14  | 9.00 $\pm$ 0.30 | 4.00 $\pm$ 0.15 |                 | 12.0 $\pm$ 0.30 | 2.50 $\pm$ 0.15 | 7.00 $\pm$ 0.15 |                 |     | 6.00            |
| 2         | DR5W 14x15           | 15  | 14.0 $\pm$ 0.30 | 8.00 $\pm$ 0.15 |                 | 15.0 $\pm$ 0.30 | 3.00 $\pm$ 0.15 | 9.00 $\pm$ 0.15 |                 |     | 10.50           |